

L Number	Hits	Search Text	DB	Time stamp
2	2	6542618.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:27
-	159	((read\$5 near3 watermark) with signal\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:01
-	70	((assign\$5 near2 sample) with class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:02
-	33	((assign\$5 near2 sample) with class) and @ad<20000728	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:04
-	33	((assign\$5 near2 sample) with class) and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:05
-	19149875	((assign\$5 near2 sample) with class) and watermark @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:05
-	0	((assign\$5 near2 sample) with class) and watermark and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:06
-	2	(((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4) near2 sample) with class) or (classif\$5 near3 sample)) and watermark and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:15
-	234457	(merit or weight or indicat\$4 or value) with sample	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:21
-	104	(decod\$4 near2 watermark) and ((merit or weight or indicat\$4 or value) with sample)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:23
-	26	(decod\$4 near2 watermark) and ((merit or weight or indicat\$4 or value) with sample) and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:23
-	22	(decod\$4 near2 watermark) and ((merit or weight or indicat\$4 or value) with sample) and (frequency near2 (domain or coefficient)) and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:25
-	0	(decod\$4 near2 watermark) and ((merit or weight or indicat\$4 or value) with sample) and (frequency near2 (domain or coefficient)) and (sampl\$5 with class\$5) and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:26
-	9	(decod\$4 near2 watermark) and ((merit or weight or indicat\$4 or value) with sample) and (frequency near2 (domain or coefficient)) and ((sampl\$5 or set or signal) with class\$5) and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:48

-	18	((decod\$4 near2 watermark) and ((merit or weight or indicat\$4 or value) with sample) and (frequency near2 (domain or coefficient)) and ((sampl\$5 or set or signal) with (block or class\$5)) and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:48
-	9	((decod\$4 near2 watermark) and ((merit or weight or indicat\$4 or value) with sample) and (frequency near2 (domain or coefficient)) and ((sampl\$5 or set or signal) with (block or class\$5)) and @ad<20000602) not ((decod\$4 near2 watermark) and ((merit or weight or indicat\$4 or value) with sample) and (frequency near2 (domain or coefficient)) and ((sampl\$5 or set or signal) with class\$5) and @ad<20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 10:48
-	52	(((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4) near2 sample) with (block or class)) or ((group\$4 or classif\$5) near3 sample)) and watermark and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:27
-	33	(((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4) near2 sample) with (block or class)) or ((group\$4 or classif\$5) near3 sample)) and watermark and @ad<20000602) and (statistic\$5 with distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:19
-	0	(((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4) near2 sample) with (block or class)) or ((group\$4 or classif\$5) near3 sample)) and watermark and @ad<20000602) and ((calculat\$4 or estimat\$4 or comput\$4) with statistic\$5 with distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:18
-	0	(((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4) near2 sample) with (block or class)) or ((group\$4 or classif\$5) near3 sample)) and watermark and @ad<20000602) and ((calculat\$4 or estimat\$4 or comput\$4) with statistic\$5 with distribut\$4 with read\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:18
-	33	(((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4) near2 sample) with (block or class)) or ((group\$4 or classif\$5) near3 sample)) and watermark and @ad<20000602) and (statistic\$5 with distribut\$4) and ((merit or weight or indicat\$4 or value) with sample)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:34
-	2	(((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4) near2 sample) with (block or class)) or ((group\$4 or classif\$5) near3 sample)) and watermark and @ad<20000602) and (statistic\$5 with distribut\$4) and ((merit or weight or indicat\$4 or value) with sample)) and (transform\$ near2 sample)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:20
-	0	(((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4) near2 sample) with (block or class)) or ((group\$4 or classif\$5) near3 sample)) and watermark and @ad<20000602) and (statistic\$5 with distribut\$4) and ((merit or weight or indicat\$4 or value) with sample)) and (assign with class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:25

-	33	(((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4) near2 sample) with (block or class)) or ((group\$4 or classif\$5) near3 sample)) and watermark and @ad<20000602) and (statistic\$5 with distribut\$4) and ((merit or weight or indicat\$4 or value) with sample)) and class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:25
-	52	(((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4) near2 sample) with (block or class)) or ((group\$4 or classif\$) near3 sample)) and watermark and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 13:37
-	15	(model same (statistic\$5 with distribut\$4) same class) and ((merit or weight or indicat\$4 or value) with sample)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:35
-	0	((model same (statistic\$5 with distribut\$4) same class) and ((merit or weight or indicat\$4 or value) with sample) and @ad<20000602) and watermark	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:35
-	10	(model same (statistic\$5 with distribut\$4) same class) and ((merit or weight or indicat\$4 or value) with sample) and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 12:48
-	13	(class\$ with (digital adj watermark\$)) and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 13:02
-	64	((class\$ or block or group\$) with (digital adj watermark\$)) and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 13:03
-	51	((class\$ or block or group\$) with (digital adj watermark\$)) and @ad<20000602) not ((class\$ with (digital adj watermark\$)) and @ad<20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 13:03
-	247	(((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4 or form) near2 (signal or coefficient or portion or piece or segment or element or sample) with (block or subset or group or class or category)) or ((group\$4 or classif\$ or categor\$) near3 (signal or coefficient or portion or piece or segment or element or sample))) and watermark and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:03
-	484	((generat\$4 or compute or computing or deriv\$4 or calculat\$4 estimat\$4) with (block or subset or group or class or category)) and watermark and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 13:51
-	57	((generat\$4 or compute or computing or deriv\$4 or calculat\$4 estimat\$4) with (statistic\$ or distribut\$) with (block or subset or group or class or category)) and watermark and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 13:53

-	46	((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4 or form) near2 (signal or coefficient or portion or piece or segment or element or sample) with (block or subset or group or class or category)) or ((group\$4 or classif\$ or categor\$) near3 (signal or coefficient or portion or piece or segment or element or sample))) and watermark and @ad<20000602) and (((generat\$4 or compute or computing or deriv\$4 or calculat\$4 estimat\$4) with (statistic\$ or distribut\$) with (block or subset or group or class or category)) and watermark and @ad<20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 13:53
-	37	(statistic\$ or distribut\$) with ((read\$4 or detect\$4) near3 watermark)and @ad<20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 13:55
-	4	((((assign\$5 or plac\$4 or set\$4 or designat\$4 or design\$4 OR PUT\$4 or form) near2 (signal or coefficient or portion or piece or segment or element or sample) with (block or subset or group or class or category)) or ((group\$4 or classif\$ or categor\$) near3 (signal or coefficient or portion or piece or segment or element or sample))) and watermark and @ad<20000602) and (((generat\$4 or compute or computing or deriv\$4 or calculat\$4 estimat\$4) with (block or subset or group or class or category)) and watermark and @ad<20000602)) and ((statistic\$ or distribut\$) with ((read\$4 or detect\$4) near3 watermark)and @ad<20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 13:55
-	6	"5046100"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 16:03
-	3	5046100.URPN.	USPAT	2003/11/10 16:45